4500

Name, Address City, County, ZIP:

Station Code: 601

Reported Date (Month Year):

June 2006

Application: 01L00091\*ED

8/7/2

American Energy Corporation 43521 Mayhugh Hill Road

BeallsvilleOH 43716

Sampling Station Description:

Internal Monitoring Station

n(1) - Enter 1 for Continuous, 2 for Composite, 3 for Grab Sample n(2) - Enter frequency of sampling				Reporting Lab: Industrial lab analysis		Analyst: Bharat Mania
(1)	3	3	1	1 1	3	3 7
(2)	1	1	999	999	1	1
	(80082) CBOD 5 day mg/l	(31616) Fecal Coliform #/100 ml	(01330) Odor, Severity Units	(01350) Turbidity, Severity Units	Solids	(00610) Nitrogen, Ammonia (NH3)
Day		·			mg/1	mg/1
01			0	0		,
02			0	0		
03						:
04		! !				
05		I	0	0 .		1
06			0	0		
07	ĀA	AA	0	. 0	AA	0.7
08		• · · · · · · · · · · · · · · · · · · ·	0	0		į.
09			0	0		
10				* * * * * * * * * * * * * * * * * * *		
11				<u>\$</u>		
12		1 1	0	0		
13			0	0		1
14			0	0 :		
15					•	
16				•		
				;		,
17		;				
18	***			•		-
19	***			:		
20						• • •
21						
22						
23						
24		i I	:			
25		•	•	,		
26						
27						
28						
29						
30			•			
31		W*1				
OTAL	0	0	0	0	0	0.7
AVG	0	1	0	0	0	0.7
MAX	0	0	0	0	0	0.7
MIN	0	0	0	0	0	0.7

I certify under the penalty of law that I have personally examined and am familiar with the information submitted and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Signature of Reporter: **Date Report Completed:** Title of Reporter: Melanie Murray 07/12/2006 Civil Engineer

Form No EPA 4500 (8-91) (Generated by SWIMS) Formerly EPA SURI

Page 1 of